


Video Salon

MANUAL TECNICO

Sunrise
PC RetroArcade
Javier Trujillo Pulido
D.N.I. 8.969.792-E



COVIELSA

COMERCIAL VIDEO ELECTRONICA, S. A.

Polígono Industrial «El Segre»
Av. Industria, parcela 414, Nave 2
Tel. (973) 21 01 01 - Fax (973) 21 05 45

25191 LLEIDA

ADAPTADOR DE MONEDAS PARA SELECTOR COIN CONTROL C230/5 Y
TESTER DE TENSION

*-CONECTOR

PIN	DESCRIPCION
1	+5v.
2	INPUT A1
3	INPUT A2
4	INPUT A3
5	INPUT A4
6	SALIDA CREDITOS
7	SALIDA CONTADOR
8	N.C.
9	GND

*-SWITCH

MONEDA	SELECCION	CONTADOR	CREDITOS
25	SW6-OFF SW5-OFF	1	1
50	SW6-OFF SW5-OFF	2	2
100	SW6-OFF SW5-OFF	4	4
200	SW6-OFF SW5-OFF	8	8
500	SW6-OFF SW5-OFF	20	20

*PARTIDA A 25 Pts.

MONEDA	SELECCION	CONTADOR	CREDITOS
25/1	SW6-ON SW5-OFF	1	0
25/2	SW6-ON SW5-OFF	1	1
50	SW6-ON SW5-OFF	2	1
100	SW6-ON SW5-OFF	4	2
200	SW6-ON SW5-OFF	8	4
500	SW6-ON SW5-OFF	20	10

*PARTIDA A 50 Pts.

MONEDA	SELECCION	CONTADOR	CREDITOS
25/1	SW6-ON SW5-ON	1	0
25/2	SW6-ON SW5-ON	1	1
50	SW6-ON SW5-ON	2	1
100	SW6-ON SW5-ON	4	3
200	SW6-ON SW5-ON	8	5
500	SW6-ON SW5-ON	20	11

*PARTIDA A50 Pts. + BONUS.

*- Los switch 1,2,3,4 no se usan.

*- La partida a 25 pts. no tiene bonus.

DE

2

K1 CONNECTOR INPUT SIGNAL

- 1 HOR. OR COMP. SYNC.
- 2 VERT. SYNC.
- 3 GND
- 4 RED VIDEO INPUT
- 5 GREEN VIDEO INPUT
- 6 BLUE VIDEO INPUT


INGRESSO SEGNALI CONN. K1

- 1 SINC. ORIZ. O COMP.
- 2 SINC. VERT.
- 3 MASSA
- 4 ING. VIDEO ROSSO
- 5 ING. VIDEO VERDE
- 6 ING. VIDEO BLU

POWER SUPPLY CABLE

170/264 Vac
47/63 Hz
85 Vmax
INPUT

DC1 DEGAUSS



HORIZONTAL

EHT

MR2


POWER SUPPLY



MR-9435

INVERSE VIDEO

2:1

HOR.





HEDA BASE IN BOARD

